## In the Claims

Claims 1 to 18 are pending in the application.

Claims 1 to 18 are rejected.

## **Explanation of Amendments in the Claims:**

1. (presently amended) An article of footwear comprising: an outsole for engaging the ground;

an insole having an average durometer as measured on the Ashore hardness scale of at least 6; and

a shoe body supported on the outsole, including an internal foot bed comprising a space with an internal height arranged to receive both the insole and for receiving a foot of a person therein; and

an the insole having a depth which is at least 3/8 inch at a metatarsal region thereof and being received in the internal foot bed so as to be arranged for supporting the foot of the person thereon;

the foot bed having an internal height-which is suitably sized for comfortably receiving therein both the insole and the foot of the person-supported on the insole

the internal height of the internal foot bed being at least 2 inches at the metatarsal region and being arranged such that:

a ratio of the internal height of the internal foot bed at the metatarsal region to a length of the internal foot bed is at least 0.2; and

a ratio of the internal height of the internal foot bed at the metatarsal region to a width of the internal foot bed at the metatarsal region is at least 0.55.

- 2. (original) The article of footwear according to Claim 1 wherein the insole is selectively separable from the outsole for replacement thereof.
- 3. (original) The article of footwear according to Claim 1 wherein thickness of the insole at the metatarsal region and at a centre of a heel region are substantially identical.
- 4. (presently amended) The article of footwear according to Claim 3 wherein thickness at an arch of the insole is plural times at least two times greater than

thickness at the heel region.

- 5. (cancelled)
- 6. (cancelled)
- 7. (cancelled)
- 8. (cancelled)
- 9. (original) The article of footwear according to Claim 1 wherein the insole comprises an insole body and at least one insert arranged to be received within the insole body and having a durometer which varies from durometer of the insole body.
- 10. (original) The article of footwear according to Claim 9 wherein said at least one insert includes a metatarsal insert which is located at a metatarsal region of the insole.
- 11. (presently amended) The article of footwear according to Claim 10 wherein the metatarsal insert is substantially-equal-in-hardness-or stiffer than the insole body.
- 12. (original) The article of footwear according to Claim 9 wherein said at least one insert includes a heel and arch insert which spans a heel region and an arch region of the insole.
- 13. (original) The article of footwear according to Claim 12 wherein the heel and arch insert is less stiff than the insole body.
- 14. (original) The article of footwear according to Claim 1 wherein the insole comprises an insole body, having a hardness measured on the Ashore hardness scale between 15 and 20, receiving a metatarsal insert, having a hardness measured on the Ashore hardness scale between 15 and 34, at a metatarsal region of the insole and a heel and arch insert, having a hardness measured on the Ashore hardness scale between 8 and 25, spanning a heel region and an arch region of the insole, the insole having a minimum thickness of 3/8 inch throughout.
  - 15. (original) The article of footwear according to Claim 1 wherein the insole

5

is raised upwardly on opposing sides at a metatarsal region thereof.

- 16. (original) The article of footwear according to Claim 1 wherein the insole has an average thickness between 3/8 of an inch and 3/4 of an inch.
- 17. (original) The article of footwear according to Claim 1 wherein the insole has a minimum thickness of approximately 1/2 inch.
  - 18. (cancelled)
  - 19. (cancelled)
  - 20. (cancelled)
  - 21. (cancelled)
  - 22. (cancelled)
  - 23. (cancelled)
  - 24. (cancelled)
- 25. (new) The article of footwear according to Claim 1 wherein the internal height of the internal foot bed corresponds to a height of a shoe last about which the article of footwear is formed.
  - 26. (new) An article of footwear comprising:

an outsole for engaging the ground;

an insole; and

a shoe body supported on the outsole, including an internal foot bed comprising a space with an internal height arranged to receive both the insole and a foot of a person therein;

the insole having a depth which is at least 3/8 inch at a metatarsal region thereof and being received in the internal foot bed so as to be arranged for supporting the foot of the person thereon;

the insole comprising an insole body and at least one insert arranged to be received within the insole body and having a durometer which varies from durometer of the

insole body;

said at least one insert includes a heel and arch insert comprising a heel portion which spans a heel region and an arch portion formed integrally with the heel portion and which spans an arch region of the insole.

- 27. (new) The article of footwear according to Claim 26 wherein the heel and arch insert is less stiff than the insole body.
- 28. (new) The article of footwear according to Claim 26 wherein the arch portion is at least two times thicker than the heel portion such that a thickness of the insole at the arch region is at least two times greater than a thickness of the insole at the heel region.
- 29. (new) The article of footwear according to Claim 26 wherein the heel portion comprises a recess arranged to suspend a central portion of a heel of the person therein, a portion of the insole body spanning the recess in the heel portion.
- 30. (new) The article of footwear according to Claim 26 wherein the arch portion is formed continuously with the heel portion of a single piece of molded material.
- 31. (new) The article of footwear according to Claim 26 wherein the heel portion is generally U-shaped about a recess arranged to suspend a central portion of a heel of the person therein, the arch portion being formed continuously with one leg of the U-shaped heel portion.